


M O D E L 8800


CONTEMPORARY ALUMINUM West Region Availability Black anodized aluminum, White Laminated glass



1 Select the Platform

Standard Frames










Over 12' Wide (4 panel)

Double-wide Frames







Due to the weight of this door, it is only

8' Wide (2 panel)* 9'-12' Wide (3 panel)

Over 12' Wide (4 panel)

18' Wide (5 panel)**

Panel spacing drawings shown are for illustrative purposes only and do not reflect actual stile and rail dimensions.

If 6" frame is ordered, other doors must be ordered from that grouping to match and may incur an additional upcharge. See dealer for details.

If you are ordering a 16'3" or wider door as well as a single door, check with your dealer to ensure that the door frames match.

^{*2} panel wide is optional for 9' doors.

^{**4-}panel wide is optional for 18' wide doors.



2 Choose your Color

Anodized Finishes



Clear (Standard)



Bronze



Black

Powder Coat Finishes



White



Dark Bronze




Black

RAL Powder Coat Finishes

Select from approximately 200 powder coat color options to best match your home.



Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Wayne Dalton dealer for accurate color matching.



3 Choose your Glass



1/8" Clear Glass




Green Tinted



Gray Tinted



Bronze Tinted



Satin Etched



White Laminated



Obscure

Custom glass also available. See dealer for details. Most panel styles are also available in both single pane and insulated configurations.

stylish. colorful. contemporary.

Wayne Dalton Contemporary

Aluminum doors, constructed with
a rugged, anodized aluminum

frame, feature equal panel spacing
for a clean modern look.


PERFORMANCE FEATURES

- Tongue-and-groove joints provide a great weather barrier
- · Flexible vinyl bottom seal helps prevent dirt and elements from entering your garage
- Choose a 25,000 cycle spring for almost twice the life of a standard torsion spring
- Reinforcing fins on all top sections and as needed on intermediate sections, provide years
 of smooth, trouble-free operation. (The fins are the extruded part of the door section that
 are not visible through the glass)



Aluminum rails and stiles are designed with non-beveled edges and straight lines to create a true contemporary style.





Optional polyurethane insulation adds R-value* of up to 4.36.

R-VALUES OF INSULATED 8800	9X7 DOOR	16X7 DOOR	9X8 DOOR	16X8 DOOR
1/2" insulated glass Solar Ban 70XL argon filled (R=3.125)	4.36	4.36	4.23	4.23
1/2" insulated glass (R=1.75) with polyurethane filled rails and stiles	3.18	3.17	3.02	3.02
1/2" insulated glass Low E (R=2.38) with polyurethane filled rails and stiles	3.73	3.71	3.59	3.58



Model 8800 offers a five-year limited warranty on the aluminum and one-year limited warranty on the glass. See full text of warranty for details.

^{*} Wayne Dalton uses a calculated door section R-value for our insulated doors.





Garage Door Design Center

To see this door on your home, visit **wayne-dalton.com**, or download our app, and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













